

# PATENT ABSTRACTS OF JAPAN

(11)Publication number : 2000-003724

(43)Date of publication of application : 07.01.2000

(51)Int.Cl.

H01M 10/40

H01M 4/02

H01M 4/58

(21)Application number : 10-231064

(71)Applicant : UBE IND LTD

(22)Date of filing : 18.08.1998

(72)Inventor : HAMAMOTO SHUNICHI

HIDAKA ATSUO

NAKADA YUKIO

ABE KOJI

(30)Priority

Priority number : 09226157  
10102415

Priority date : 22.08.1997  
14.04.1998

Priority country : JP

JP

(54) NONAQUEOUS ELECTROLYTE AND LITHIUM SECONDARY BATTERY USING THE SAME

(57)Abstract:

PROBLEM TO BE SOLVED: To provide a lithium secondary battery having superior battery characteristic, such as cycle characteristic, electrical capacity and storing characteristic and having superior low-temperature characteristic.

SOLUTION: In a lithium secondary battery formed of a positive electrode, a negative electrode and a nonaqueous electrolyte formed by dissolving the electrolyte in a nonaqueous solvent, the positive electrode is made of a material containing lithium compound oxide, and the negative electrode is made of a material containing graphite, and the nonaqueous solvent is mainly composed of annular carbonate and chained carbonate, and the nonaqueous solvent includes 0.1-4 wt.% of 1,3-propanesultone and/or 1,4-buthanesultone.

## LEGAL STATUS

[Date of request for examination]

13.02.2004

[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

[Patent number]

[Date of registration]

[Number of appeal against examiner's decision of rejection]

[Date of requesting appeal against examiner's decision of rejection]

[Date of extinction of right]

Copyright (C); 1998,2003 Japan Patent Office